

INDEX MAPS.

T. 9N, R. 1E. 2nd Mer.

	245	245-246	245-246	245-246	245-246	244-246						
249	6	240	5	264	4	261	3	257	2	253	1	271
	269	269	264	260	256	252						271
248	7	269	8	264	9	260	10	256	11	252	12	
	268	268	263	260	256	252						244
248	18	268	17	263	16	259	15	255	14	251	13	244
	267	267	263	259	255	251						
248	19	267	20	263	21	258	22	255	23	250	24	243
	266	266	262	258	254	250						
247	30	266	29	262	28	258	27	254	26	250	25	243
	266	265	262	257	263	249						
247	31	265	32	261	33	257	34	263	35	249	36	242
	242	242	241	241	241	241						

T. 10N, R. 1E. 2nd Mer.

	278	278	278	277-279	277-279	277-279						
281	6	307	5	301	4	296	3	291	2	286	1	277
	306	306	300	295	291	286						
281	7	306	8	300	9	295	10	290	11	285	12	276
	305	305	299	295	290	285						
280	18	304	17	299	16	294	15	289	14	284	13	276
	304	304	299	294	289	284						
280	19	303	20	298	21	293	22	288	23	283	24	276
	303	303	298	293	288	283						
280	30	302	29	297	28	293	27	287	26	282	25	275
	302	301	297	292	287	282						
279	31	301	32	296	33	292	34	286	35	282	36	275
	274	273-274	273-274	273-274	273-274	273-275	273-275					

☞ The figures on the lines refer to the page.

Township N. 9 North, Range N. 1 East 2^d Mer. Indiana

South Boundary. March 31st 1811

- West 1st mile between Towns 8 & 9 N. R 1 E
 40.00 Set the q. Sec. post, from which
 a W. Oak 12 m. diam. bears S 62 E 11 lks. dist. &
 a Do 10 " " " North 13 " "
 53.00 a Brook 12 lks. wide Cr. S. W.
 80.00 Set a post Cor. to Sec. 35 & 36, T 9 N, R 1 E, from which
 a P. Oak 30 m. diam. bears N 51 W 26 lks. dist. &
 a Do 10 " " " N 13 E 26 " "
 Land poor & shilly, timber Oak, Beech, Gum &c.
-

- West 2nd mile between Towns 8 & 9 N. R 1 E.
 00.50 a Brook 15 lks. wide Cr. S. E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 14 m. diam. bears S 57 E 35 lks. dist. &
 a Sugar 13 " " " N 21 W 26 " "
 75.00 a Brook 15 lks. wide Cr. S. W.
 80.00 Set a post Cor. to Sec. 34 & 35, T 9 N, R 1 E, from which
 a Gum 16 m. diam. bears S 56 W 23 lks. dist. &
 a P. Oak 17 " " " N 81 E 11 " "
 Land timber &c. same as on the last mile
-

- West 3rd mile between Towns 8 & 9, N. R 1 E.
 40.00 Set a post Cor. for q. Sec. from which
 a Sugar 6 m. diam. bears S 45 E 10 lks. dist. &
 a Beech 30 " " " West 40 " "
 45.00 a Creek 50 lks. wide Cr. S.
 80.00 Set a post Cor. to Sec. 33 & 34, T 9 N, R 1 E, from which
 a Beech 14 m. diam. bears S 30 E 11 lks. dist. &
 a Do 13 " " " N 16 W 21 " "
 Shilly Rich land timber Oak & Sugar
-

- West 4th mile between Towns 8 & 9 N. R 1 E.

T9 N. R1 E. T^h. Mer. Indiana

- 21.00 a Brook 10 lks. wide Course S.W.
 35.50 Spring 6 lks. wide C.S. S.W.
 40.00 Set the gr. Sec. post, from which
 a Beech 8 m. dia. bears S 81 W 5 lks. dist. of
 a W. Oak 3 1/2 " " " N 29 E 2 1/2 " "
 55.00 a Creek 60 lks. wide C.S. S.E.
 80.00 Set a post Cor. to Sec. 32 & 33, T9 N. R1 E, from which
 a Maple 16 m. dia. bears N 47 W 14 lks. dist. of
 a Hickory 8 " " " N 5 W 12 " "
 Land hilly rich, timber Beech, Oak, Hickory &c

- Next 5th Mile between Towns 8 & 9 N. Range 1 E.
 40.00 Set the gr. Sec. post, from which
 a Beech 15 m. dia. bears N 15 W 17 lks. dist. of
 a Sugar 12 " " " S 53 E 30 " "
 80.00 Set a post Cor. to Sec. 31 & 32, T9 N. R1 E, from which
 a Hickory 14 m. dia. bears N 35 W 19 lks. dist. of
 a Beech 16 " " " S 11 W 30 " "
 Poor hilly Oak land &c.

- Next 6th Mile between Towns 8 & 9 N. R1 E.
 40.00 Set the gr. Sec. post, from which
 a Hickory 5 m. dia. bears N 45 E 6 lks. dist. of
 a Do 4 " " " North 33 " "
 55.50 a Brook 20 lks. wide C.S. S.E.
 78.50 Intersected the 2nd Mer. 100 lks. S. of temp. post
 Set a post Cor. to Towns 8 & 9 N. R². 1 E & 1 W, from which
 a Butternut 12 m. dia. bears N 34 E 12 lks. dist. of
 a Sugar 13 " " " S 14 E 37 " "
 Rich hilly land &c.

East Boundary
 North 1st Mile between Towns 9 N. Range 1 & 2 E.

Township 12 E. 2nd Mer. Indiana

- 38.50 a Brook 8 lvs. wide Cr. E.
- 40.00 At the q. Sec. post, from which
a Sugar 3 in. dia. beam N55 E 5 lvs. dist. of
a Beech 4 " " " S71 W 7 " "
- 43.00 a Brook 10 lvs. wide Cr. S. E.
- 57.00 a W. Oak 14 in. dia. in the line
- 66.50 Intersected the Boundary line, at post, from
which a Sugar 18 in. dia. beam S30 W 25 lvs. dist. of
a Do 11 " " " S85 E 30 " "
Poor hilly Oak land.
Surveyed by Alexander Holmes, d. S.
(Continued by James Hedges in 1819)
- 80.00 (13.50 N. of boundary) Set a post cor. to Sec. 25 of 36
from which an Elm 11 in. dia. beam S54 W 7 lvs. dist. of
a Beech 14 " " " N35 E 33 " "

North On E. boundary of Sec. 25, Twp. 12 E. ran. 7. N. E

- 5.00 a Brook 6 lvs. wide Cr. East
- 8.50 a Do 8 lvs. " " S40 E
- 10.50 a W. Oak 16 in. dia.
- 40.00 At the q. Sec. post, from which
a Hickory 8 in. dia. beam N68 E 10 lvs. dist. of
a W. Oak 32 " " " S78 W 30 " "
- 59.86 a Sugar 7 in. dia.
- 60.30 a Brook 10 lvs. wide Cr. S80 E.
- 80.00 Set a post Cor. to Sec. 24 of 25, from which
a Gum 11 in. dia. beam N65 W 30 lvs. dist. of
a Do 16 " " " S85 E 27 " "
Land hilly & poor timber N. W. Oak, Beech & Gum
under W. Oak, Dogwood & Ironwood

North On E. boundary of Sec. 24, Twp. 12 E

- 14.60 a Brook 10 lvs. wide Cr. East

T9 N. R1 E 2nd. Mer Indiana

- 36.20 a Beech 18 in. dia.
 40.00 Let the q. Sec. post, from which a Sugar 18 in. dia. W.
 S 72 E 5 lks. dist. of a W. Oak 48 in. dia. bear S 80 W 46 lks. dist.
 47.25 a Brook 12 lks. wide C.S. S 60 E
 61.50 a W. Oak 12 in. dia. bear
 80.00 Let a post Cor. to Sec. 13 & 24, from which a W. Oak 20
 in. dia. bear S 23 E 15 lks. dist. of a Hickory 10 in. dia. bear
 N 87 W 15 lks. dist. Land hilly & poor, timber W. W. Oak,
 Hickory & Poplar, undg. Dogw. & Ironw.?

North On E. boundary of Sec. 13, T9 N. R1 E.

- 10.50 a Brook 12 lks. wide C.S. S 40 E
 22.50 a W. Oak 13 in. dia.
 40.00 Let the q. Sec. post, from which
 a Hickory 12 in. dia. bear N 75 W 31 lks. dist. of
 a Dogwood 5 " " " N 88 E 19 " "
 54.00 a Chestnut Oak 18 in. dia.
 80.00 Let a post Cor. to Sec. 12 & 13, from which
 a W. Oak 12 in. dia. bear S 77 W 30 lks. dist. of
 a Do 8 " " " N 6 W 29 " "
 Land timber &c. same as on the last mile

North On E. boundary of Sec. 12, T9 N. R1 E.

- 19.07 a W. Oak 18 in. dia.
 40.00 Let the q. Sec. post, from which
 a W. Oak 7 in. dia. bear N 4 W 11 lks. dist. of
 a Do 6 " " " S 23 E 21 " "
 71.55 a Chestnut Oak 20 in. dia.
 Note - For residus of this line see page 271.

-
- North Boundary June 24th. 1819
 West 1st Mile On Random betw. Towns 9 & 10 N. R1 E
 30.00 a Brook 7 lks. wide C.S. N.
 40.00 Let temp. q. Sec. post
 80.00 Let temp. Sec. post, cor. to 35 & 36, T10 N. R1 E.
 over level Beech land.
-

Township 9 N. Range 1 E. 2nd Mer. Indiana

West 2nd Mile ^{on Random} between Towns 9 & 10 N. Range 1 E.
10.65 a Brook 10 lbs. wide C.S. St.

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. post. for 34 & 35, T10 N. R1 E.

Over Rolling land, timber Oak, Beech &c

West 3rd Mile ^{on Random} between Towns 9 & 10 N. R1 E. 2nd Mer.
13.80 a Brook 15 lbs. wide C.S. St.

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. Cor. to Sec. 33 & 34, T10 N. R1 E.

Over Broken land, timber Beech, Oak &c

West 4th Mile between Towns 9 & 10 N. R1 E. on Random

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. Cor. to Sec. 32 & 33, T10 N. R1 E.

Over broken land, timber Oak & Poplar

West 5th Mile on Random, between Towns 9 & 10 N. R1 E

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. Cor. to Sec. 31 & 32, T10 N. R1 E.

Over broken land, timber Oak & Hickory

West 6th Mile on Random, between Towns 9 & 9 N. R1 E.

39.28 Intersected the 2nd Meridian line 520 lbs. N.

of the Cor. of Towns 9 & 10 N. Ranges 1 E & 1 W.

Over broken land timber, Oak, Beech &c.

East On true line between Towns 9 & 10 N. R1 E, and
Sections 6 & 31

39.28 Set a post Cor. to Sec. 31 & 32, T10 N. R1 E, from which

a Beech 13 in. dia. brass S 25° W 10 lbs. dist

a Do 10 " " " N 32° W 24 " "

T9 N - R1 E, 2^d Mer. Indiana

- East On S. boundary of Sec. 32, T10 N, R1 E.
 40.00 At the q. Sec. post, from which
 a Beech 10 m. dia. bears N69 E 18 lns. dist. of
 a Do 10 " " " N42 W 24 " "
 80.00 At a post Cor. to Sec. 32 & 33, T10 N, R1 E, from which
 a Hickory 20 m. dia. bears N44 W 16 lns. dist. of
 a Walnut 12 " " " S59 E 29 " "
-

- East On S. boundary of Sec. 33, T10 N, R1 E.
 40.00 At the q. Sec. post, from which
 a Beech 24 m. dia. bears N10 E 23 lns. dist. of
 a Cassia 8 " " " N5 W 9 " "
 80.00 At a post Cor. to Sec. 33 & 34, T10 N, R1 E, from which
 a Poplar 18 m. dia. bears S77 E 24 lns. dist. of
 a Dogw? 6 " " " N44 W 13 " "
-

- East On S. boundary of Sec. 34, T10 N, R1 E.
 40.00 At the q. Sec. post, from which
 a Gum 12 m. dia. bears N71 E 4 lns. dist. of
 a Beech 8 " " " South 13 " "
 80.00 At a post Cor. to Sec. 34 & 35, T10 N, R1 E, from which
 a Beech 13 m. dia. bears N63 E 20 lns. dist. of
 a Do 8 " " " N81 W 22 " "
-

- East On S. boundary of Sec. 35, T10 N, R1 E.
 40.00 At the q. Sec. post, from which
 a Beech 30 m. dia. bears N63 E 33 lns. dist. of
 a Cherry 9 " " " N64 W 9 " "
 80.00 At a post Cor. to Sec. 35 & 36, T10 N, R1 E, from which
 a Beech 8 m. dia. bears N65 E 20 lns. dist. of
 a Do 30 " " " S71 W 6 " "
-

East On S. boundary of Sec. 36, T10 N, R1 E.

T9 N. - P1 E. 2nd Mer. Indiana

- 40.00 Set the g. Sec. post, from which
a Gum 24 in. dia. bears N 82 E 13 lbs. dist. of
a Beech 10 " " " S 33 W 17 " "
- 80.00 Intersected the corner of Towns 9 & 10 N. Ranges
1 & 2 East. Surveyed by John M. McDonald, U.S.

West Boundary on 2nd Principal Meridian
April 1st 1871. From the Cor. of Towns 8 & 9 N.
Range 1 E & 1 W.

- North 1st Mile on 2nd Meridian Town 9 N.
- 3.75 at Brook 15 lbs. wide Cr. S. E.
- 31.00 a Ho 12 " " " E.
- 40.00 a Beech 13 in. dia. ^{Sec. Corner} from which
a Beech 13 in. dia. bears N 80 E 24 lbs. dist. of
a Dogwood 4 " " " S 75 W 36 " "
- Muddling good Beech land &c.
- 45.00 a Beech 14 in. dia. in the line
- 61.00 a Brook 20 lbs. wide Cr. East.
- 80.00 Set a post Cor. to Sec. 25 & 36, T9 N. P1 E. from which
a Hickory 10 in. dia. bears S 60 W 19 lbs. dist. of
a Beech 13 " " " S 64 E 18 " "
- Good Beech & Sugar land.

North 2nd Mile on 2nd Meridian T9 N.

- 15.50 a Brook 10 lbs. wide Cr. S. E.
- 31.00 a Sugar 12 in. dia.
- 40.00 Set the g. Sec. post, from which
a Beech 13 in. dia. bears N 66 E 11 lbs. dist. of
a Ho 13 " " " S 75 W 24 " "
- 75.50 a Beech 16 " "
- 80.00 Set a post Cor. to Sec. 24 & 25, T9 N. P1 W. from which
a W. Oak 12 in. dia. bears N 49 W 7 lbs. dist. of
an Ash 3 " " " S 76 E 17 " "

T9 N - R1 E, 2nd. Mer. Indiana

Sand of middling quality, timber, Beech, Sugar, Ash &c.

North 3rd Mile On 2nd. Meridian T9 N.

26.00 a Brook 10 hrs. wide C.S.E.

40.00 Let the q. Sec. post, from which

a Beech 18 m. dist. bears N73 E 6 hrs. dist of

a Do 13 " " " N74 W 5 " "

Sand of a middling quality, Beech, Sugar, Ash &c.

57.00 a Beech 16 m. dist.

80.00 Let a post Cor. to Sec. 13 & 24, T9 N. R1 W. from which

a Sugar 5 m. dist. bears N17 E 7 hrs. dist of

a Do 8 " " " S25 W 14 " "

Rich level land. Beech, Sugar, Poplar &c.

North 4th Mile On 2nd. Meridian T9 N

7.00 a Beech 24 m. dist.

40.00 Let the q. Sec. post, from which

a Sycam 16 m. dist. bears S17 E 7 hrs. dist of

a Walnut 18 " " " N22 W 29 " "

70.50 a Brook 12 hrs. wide Course N.W.

71.50 a Beech 18 m. dist.

80.00 Let a post Cor. to Sec. 12 & 13, T9 N. R1 W. from which

a Sycamore 40 m. dist. bears N58 W 25 hrs. dist of

an Elm 25 " " " S51 E 25 " "

Hilly Beech Land &c.

North 5th Mile On 2nd. Meridian T9 N.

34.00 a W. Oak 7 m. dist. bears

40.00 Let the q. Sec. post, from which

a Sassafras 6 m. dist. bears S47 E 5 hrs. dist of

a Do 3 " " " N48 W 7 " "

45.00 a Brook 20 hrs. wide C.S.N.W.

47.50 a Sugar 12 m. dist.

T9 N. R1 E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 16 & 17, T9 N. R1 W, from which
 a Beech 12 m. dist. bears N49°W 15 lks. dist. &
 a Hickory 18 " " " S32 E 17 " "
 Land timber for same as on the last mile

North 6th Mile on 2^d. Meridian T9 N.

7.00 at Beech 20 m. dist.
 16.75 Set a post on boundary line, from which
 a Beech 14 m. dist. bears East 30 lks. dist. &
 an Elm 4 " " " West 30 " "
 Surveyed by Alex^r. Holmes, D. S.
 From Cor. on boundary line, on 2^d. Meridian
 12.00 a Brook 20 lks. wide C.P. M.
 23.25 Set the q. Sec. post, from which a Hickory 12 m. dist.
 bears N47 E 17 lks. dist. & a Dogwood 6 m. dist. bears S37 E 8 lks.
 63.25 Set a post Cor. to Towns 9 & 10 N. Range 1 E & 1 W, from which
 a Hickory 9 m. dist. bears N68°W 8 lks. dist. & a Walnut 9 m. dist.
 S50 E 21 lks. dist. Land very broken (muddling good Soil
 Beech, Hickory, ash, Oak, Sugar &c. May 20. 1819

Subdivision.

North Between Sec. 35 & 36, T9 N. R1 E. 2^d. Mer.

0.50 a W. Oak 30 m. dist.
 40.00 at W. Oak 12 m. dist. Marked for q. Sec. Corner.
 80.00 Set a post Cor. to Sec. 25 & 26, 35 & 36, from which
 a Beech 8 m. dist. bears N64°W 20 lks. dist. &
 a Do 6 " " " S31 E 10 " "
 Land Shilly, timber Oak, Beech & Hickory

East Between Sec. 25 & 36, T9 N. R1 E

40.00 at the q. Sec. post, from which
 a W. Oak 18 m. dist. bears S53°W 14 lks. dist. &
 an Oak 6 " " " N12°W 26 " "
 59.45 Set post on the boundary, from which

T9 N. R1 E. 2^d Mer. Indiana

a W. Oak 18 mi. dist. bears S25^W23^U dist of
 an Oak 10 " " " " N70^W31 " "

February 22^d. 1820. (by James Hedger)

Continued from post on boundary

18.96 Intersected E. boundary at Sec. Corner

North Between Secs. 25 & 26, T9 N. R1 E. 2^d Mer.

19.00 a Br. Oak 18 mi. dist.

40.00 At the of. Sec. post, from which
 an Oak 15 mi. dist. bears S17^E19^U dist of
 a Do 15 " " " " N12^W38 " "

44.25 At a post on the boundary, from which
 an Oak 4 mi. dist. bears N37^W20^U dist of
 a Do 12 " " " " S29^E28 " "

Sand timber &c. same as on the last mile

50.90 a Brook 6 lbs. wide Cr. S60^W

80.00 At temp^y. Sec. post.

East On Random between Secs. 24 & 25, T9 N. R1 E.

40.00 At temp^y. of. Sec. post

77.82 Intersected the E. boundary 140 lbs. S. of Corner.
 Land hilly & poor, timber W. & B. Oak, Hickory &c
 underg^d. W. Oak & Ironwood.

West On true line between Secs. 24 & 25, T9 N. R1 E.

38.91 At of. Sec. post at a of. dist. from which
 a Hickory 8 mi. dist. bears S76^E29^U dist of
 a Dogw^d. 4 " " " " N78^W21 " "

77.82 to Sec. Corner

North Between Secs. 23 & 24, T9 N. R1 E. 2^d Mer.

13.60 a Brook 8 lbs. wide. Cr. S70^W.

15.80 a W. Oak 10 mi. dist.

T9 N. R. 1 E. 2nd Mer. Indiana

40.00 At the q. Sec. post, from which
 a W. Oak 10 mi. dist. bears S 47 1/2 W 22 1/2 dist. of
 a Do 6 " " " S 89 1/2 E 15 " "

63.80 a P. Oak 30 " "

80.00 At a post Cor. to Secs. 13, 14, 23 & 24, from which
 a P. Oak 15 mi. dist. bears N 66 E 30 1/2 dist. of
 a Do 18 " " " N 32 W 17 " "
 Sand hilly & poor, timber W & P. Oak, Hickory &c.
 undergrowth W. Oak & Ironwood

East on Random between Secs. 13 & 24, T9 N. R. 1 E.

40.00 At temp. q. Sec. post

42.80 a Brook 6 hrs. wide C. S. S. E

52.70 a Do 8 " " " S 20 E

78.46 Intersected the E. boundy. 118 hrs. S. of the Corner.
 Sand hilly & poor, timber W & P. Oak & Hickory
 undergrowth W. Oak & Ironwood

West On true line betw. Secs. 13 & 24, T9 N. R. 1 E.

39.23 At q. Sec. post at a q. dist. from which
 a W. Oak 16 mi. dist. bears S 83 E 29 1/2 dist. of
 a Maple 10 " " " S 79 W 37 " "

78.46 to Sec. Cor. Feb. 23rd 1820

North Between Secs. 13 & 14, T9 N. R. 1 E. 2nd Mer.

32.25 a P. Oak 6 mi. dist.

40.00 At the q. Sec. post, from which
 a Beech 12 mi. dist. bears N 23 W 60 1/2 dist. of
 a Do 11 " " " S 49 E 13 " "

56.60 a Hickory 13 " "

80.00 At a post Cor. to Secs. 11, 12, 13 & 14, from which
 a Sugar 14 mi. dist. bears S 85 E 18 1/2 dist. of
 a Do 6 " " " S 59 W 38 " "

T9 N. R1 E. 2^d. Mer. Indiana

Land timber &c. Same as on the last mile

East On Rand^m betwⁿ Sec. 12 & 13.

40.00 Set temp^y of Sec. post

78.50 Intersected the E. boundary 10 hrs. N of Cor.
Land timber &c. Same as on the last mile

West On true line between Sec. 12 & 13, T9 N. R1 E.

39.25 Set of Sec. post at av^g. dist. from which
a Gum 24 mi. dia. bears N86°W 25 hrs. dist.

78.50 to Sec. Corner.

North Between Sec. 11 & 12, T9 N. R1 E. 2^d. Mer.

3.00 a Brook 15 hrs. wide E. S40°W

20.00 a Brook 8 " " " S15 E

28.85 a P. Oak 6 mi. dia.

40.00 Set the of Sec. post, from which
a P. Oak 16 mi. dia. bears N70°W 21 hrs. dist. &
a B. Oak 9 " " " S12 E 10 " "

64.62 a C. Oak 6 " "

80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
a P. Oak 7 mi. dia. bears N65°W 27 hrs. dist. &
a C. Oak 13 " " " S37 E 51 " "

Land hilly & poor, N & B. Oak, Hick^y, und^g. oak &
Ironwood &c.

East On Random betwⁿ Sec. 11 & 12, T9 N. R1 E

40.00 Set temp^y of Sec. post,

78.85 Intersected the E. bound^y. 81 hrs. S. of Corner
Land timber &c. Same as on the last mile

West On true line between Sec. 11 & 12, T9 N. R1 E

39.42¹/₂ Set of Sec. post at av^g. dist. from which

T9 N. R. 1 E. 2^d. Mer. Indiana

a W. Oak 20 in. dia. bears N 62 W 15 lbs. dist. 78.85 to Sec. Corner.
a Do 13 " " " S 72 E 34 " "

North Between Sec. 16 & 17, T9 N. R. 1 E. 2^d. Mer.

24.39 B. Oak 6 in. dia.
33.10 a Brook 6 lbs. wide C. S. N 20 E.
37.00 a Do 6 " " " N 40 E.
40.00 At the q. Sec. post from which
a Hickory 12 in. dia. bears S 11 E 38 lbs. dist. 7
a a W. Oak 16 " " " S 5 E 25 " "
71.50 Intersected the N. boundary 9.27 lbs. West of
post at the South side of Sec. 36 T10 N. R. 1 E.
Set a post Cor. to Sec. 16 & 17, from which
a Poplar 14 in. dia. bears S 74 E 38 lbs. dist. 6
a W. Oak 20 " " " S 70 W 10 " "
Land timber &c. same as on the last mile

North Between Sec. 34 & 35, T9 N. R. 1 E. 2^d. Mer.

40.00 At the q. Sec. post, from which
a Beech 8 in. dia. bears S 10 E 17 lbs. dist. 4
a Do 10 " " " N 56 E 13 " "
80.00 At a post Cor. to Sec. 26, 27, 34 & 35, from which
a Beech 8 in. dia. bears S 25 E 32 lbs. dist. 4
a W. Oak 20 " " " N 35 W 30 " "
Land hilly thin soil timber Oak & Hickory

East on Random betw. Sec. 26 & 35, T9 N. R. 1 E.

40.00 At temp. q. Sec. post
81.19 Intersected the S. line 30 lbs. N. of Sec. Cor.
Land, timber &c. same as on the last mile

West On true line between Sec. 26 & 35, T9 N. R. 1 E.

T9 N. R1 E. 2nd Mer. Indiana

40.59² Set qf. Sec. post at avj. dist. from which
 a Beech 5 mi. dist. bears N75 E 5th dist. of
 a Sugar 8 " " " West 10 " "
 81.19 to Sec. Corner.

North Between Secs. 27 & 26, T9 N. R1 E. 2nd Mer.
 38.00 an Elm 12 mi. dist.

40.00 Set the qf. Sec. post, from which
 a Sugar 12 mi. dist. bears S85 W13th dist. of
 an Elm 15 " " " S6 W43 " "

80.00 Set a post Cor. to Secs. 22, 23, 26 & 27, from which
 a W. Oak 20 mi. dist. bears West 10th dist. of
 a Ho 20 " " " N68 E 27 " "
 Land timber &c. Same as on the last mile

East Between Secs. 23 & 26, T9 N. R1 E. 2nd Mer.

33.50 Set a post on the Boundary from which
 a W. Oak 15 mi. dist. bears S2 W26th dist. of
 a Hickory 5 " " " S84 E 17 " "

Land timber &c. Same as on the last mile

Commenced on Boundary line

5.50 a Brook 60th wide E. S. 20 W

6.50 Set temp^y qf. Sec. post

45.50 Intersected the N & S. line 120th S. of temp^y
 post Set a post at Intersection Cor. to Secs. 23,
 24, 25 & 26, from which

a W. Oak 26 mi. dist. bears N48 W40th dist. of
 a Ho 14 " " " N4 W35 " "

Land hilly & poor, timber W & P. Oak, Hickory &c.
 includingth Logwood & Ironwood

West Between Secs. 23 & 26, T9 N. R1 E.

39.50 Set qf. Sec. post at avj. dist. from which

T9 N. R1 E. 2nd Mer. Indiana

a W. Oak 15 in. dia. bear N41°W13 lbs. dist. of
 a Do 12 " " " N71°E30 " "
 79.00 to Sec. Corner.

North Between Secs. 22 & 23, T9 N. R1 E. 2nd Mer.

24.81 Set post on the Boundary line, from which
 a P. Oak 4 in. dia. bear N11°W9 lbs. dist. of
 a Hickory 10 " " " S88°E29 " "
 Feb. 24th 1820.

40.00 Set thro. q. Sec. post } W. Oak 24 S24°E23 lbs.
 80.00 Set temp. Sec. post } Do 20 S40°W25 "
 Land hilly thin Soil, timber Oak & Hickory

East On Random between Secs. 14 & 23, T9 N. R1 E.

40.00 Set temp. q. Sec. post
 77.85 Intersected the N & S. line 96 lbs. S. of Corner.
 Land very hilly & poor, timber W & P. Oak & Hickory
 underg. W. Oak, Irons? &c.

West Corred. between Secs. 14 & 23, T9 N. R1 E.

38.92 1/2 Set q. Sec. post at adj. dist. from which
 a W. Oak 10 in. dia. bear N3°W7 lbs. dist. of
 a Do 10 " " " S5°W14 " "
 77.85 to Sec. Corner.

North Between Secs. 14 & 15, T9 N. R1 E. 2nd Mer.

15.75 a Brook 20 lbs. wide Cr. S80°W.
 27.80 a Gum 18 in. dia.
 38.40 a Brook 6 lbs. wide Cr. S30°W.
 40.00 Set thro. q. Sec. post from which
 a Sugar 11 in. dia. bear S66°W40 lbs. dist. of
 a Do 12 " " " N11°E8 " "
 55.17 a W. Oak 17 " "

T9 N. R1 E. 2^d Mer. Indiana

80.00 At a post Cor. to Secs. 10, 11, 14 & 15, from which
 a Sugar 7 m. dist. bears S 6 E 22 lks. dist. &
 a Beech 9 " " " N 37 W 17 " "
 Sand, timber &c. Same as on the last mile

East on Random betwⁿ Secs. 11 & 14, T9 N. R1 E.

40.00 At temp^y. of Sec. post

75.50 a Brook 15 lks. wide E. S 40 E.

78.26 Intersected the N & S. line 13 lks. S. of the Cor.
 Sand, timber &c. Same as on the last mile

West on true line between Secs. 11 & 14, T9 N. R1 E.

39.13 At of Sec. post at avg. dist. from which

a W. Walnut 8 m. dist. bears S 76 E 50 lks. dist. &

a W. Oak 12 " " " N 72 W 72 " "

78.26 to Sec. Corner. Feb. 25th 1820

North Between Secs. 10 & 11, T9 N. R1 E. 2^d Mer.

13.50 a W. Oak 18 m. dist. " " "

28.10 a Brook 12 lks. wide E. S 80 W

40.00 At the of Sec. post, from which

a Hickory 12 m. dist. bears S 1 E 20 lks. dist. &

a W. Oak 17 " " " N 31 E 54 " "

51.30 a W. Oak 15 " " "

80.00 At a post Cor. to Secs. 2, 3, 10, 11, from which

a W. Oak 11 m. dist. bears S 81 W 42 lks. dist. &

a B. Oak 8 " " " N 34 E 37 " "

Sand timber &c. Same as on the last mile

East on Randm. between Secs. 2 & 11, T9 N. R1 E.

40.00 At temp^y. of Sec. post

79.00 Intersected the N & S. line 33 lks. S. of Corner.

Sand timber &c. Same as on the last mile

T9 N. R1 E. 2nd Mer. Indiana

West On true line between Sec. 2 & 11, T9 N. R1 E.
 39.50 Set of. Sec. post at adj. dist. on true line from which
 a Hickory 6 mi. dist. bears $D10 E 23 \frac{1}{2} \text{th. dist.}$
 a Dogwood 5 " " " $N 21 \frac{1}{2} W 3$ " "
 79.00 to Sec. Corner.

North Between Sec. 2 & 3, T9 N. R1 E. 2nd Mer.
 18.35 a B. Oak 11 mi. dist.
 40.00 Set the of. Sec. post, from which
 a Hickory 7 mi. dist. bears $D59 E 16 \frac{1}{2} \text{th. dist.}$
 a Beech 6 " " " $N 5 \frac{1}{2} W 13$ " "
 51.95 a W. Oak 18 " "
 74.00 Intersected the N. Boundary 9.44 ths. N. of
 of. Sec. post at the S. side of Sec. 35, T10 N. R1 E.
 Set a post Cor. to Sec. 2 & 3, from which
 a Beech 12 mi. dist. bears $D38 E 19 \frac{1}{2} \text{th. dist.}$
 a Sugar 30 " " " $N 77 \frac{1}{2} W 41$ " "
 Land, timber &c. Same as on the last mile

North Between Sec. 33 & 34, T9 N. R1 E. 2nd Mer.
 40.00 Set the of. Sec. post, from which
 a Willow 15 mi. dist. bears $D48 E 26 \frac{1}{2} \text{th. dist.}$
 a B. Oak 30 " " " $N 46 \frac{1}{2} W 36$ " "
 78.00 a Poplar 40 " "
 80.00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which
 an Iron? 3 mi. dist. bears $D64 W 6 \frac{1}{2} \text{th. dist.}$
 a Beech 5 " " " $N 87 E 7$ " "
 Land timber &c. Same as on the last mile

East On Random between Sec. 27 & 34, T9 N. R1 E.
 40.00 Set temp. of. Sec. post
 60.00 a Brook 20 ths. wide C. S.
 81.18 Intersected the N. & S. line 107 N. of Corner

T9 N. R1 E. 2^d. Mer. Indiana

Sand, timber &c. Same as on the last mile

West On true line between Sec. 27 & 34, T9 N. R1 E.
 40.59 At q. Sec. post at av. j. dist. from which
 a Dogwood 5 in. dia. bears East 2 hrs. dist
 no other near
 81.18 to Sec. Corner.

North Between Sec. 27 & 28, T9 N. R1 E. 2^d. Mer.
 40.00 At the q. Sec. post from which
 a Beech 8 in. dia. bears S 23 E 12 hrs. dist. &
 a Sugar 12 " " " N 42 W 31 " "
 80.00 At a post Cor. to Sec. 21, 22, 27 & 28, from which
 a W. Walnut 10 in. dia. bears S 27 E 36 hrs. dist. &
 a Beech 15 " " " N 66 W 28 " "
 Sand, timber &c. Same as on the last mile

East On Random betwⁿ 22 & 27, T9 N. R1 E.
 16.00 a Brook 30 hrs. wide C.S.
 40.00 At the q. Sec. post
 80.44 Intersected the N & S. line at the corner.
 Sand, timber &c. Same as on the last mile

West On true line between Sec. 22 & 27, T9 N. R1 E.
 40.22 At q. Sec. post, at av. j. dist. from which
 a W. Oak 18 in. dia. bears S 25 E 25 hrs. dist. &
 a Dogwood 3 " " " N 71 W 5 " "
 80.44 to Sec. Cor.

North Between Sec. 21 & 22, T9 N. R1 E. 2^d. Mer.
 40.00 At the q. Sec. post, from which
 a Beech 5 in. dia. bears S 34 W 21 hrs. dist. &
 a Do 6 " " " N 1 E 16 " "

T9 N. R1 E. 2^d. Mer. Indiana

81.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
 a W. Walnut 6 mi. dist. bears N 75 E 11 1/2 hrs. dist. of
 a Beech 8 " " " N 64 W 21 " "
 Land timber &c. Same as on the last mile

East Between Sec. 15 & 22, T9 N. R1 E, on 1st Land^m.

6.17 a Poplar 3 mi. dist. Cor. on boundary line

15.80 a Brook 8 1/2 hrs. wide C. S 30 W.

38.00 a Do 25 " " " S 25 W

40.00 Set temp. q. Sec. post

47.50 a Brook 20 hrs. wide C. S 20 W.

78.26 Intersected the E. boundary at temp. post. Set a
 post Cor. to Sec. 14, 15, 22 & 23, from which
 a W. Oak 20 mi. dist. bears S 24 W 25 hrs. dist. of
 a Gum 8 " " " N 24 E 38 " "
 Land hilly & poor, timber W. Oak, Hickory, Dogwood
 and Ironw. &c.

West On true line between Sec. 15 & 22, T9 N. R1 E.

39.13 Set q. Sec. post at adj. dist. from which
 a Beech 11 mi. dist. bears N 39 W 3 hrs. dist. of
 a Do 6 " " " S 13 W 28 " "

78.26 to Sec. Corner.

North Between Sec. 15 & 16, T9 N. R1 E. 2^d. Mer.

4.50 Set a post in the boundary line, from which

a Beech 4 mi. dist. bears S 15 E 6 hrs. dist. of

a W. Oak 4 " " " N 18 W 7 " "

February 25th. 1870

17.60 a Beech 20 mi. dist. in the line

40.00 Set the q. Sec. post, from which

a Beech 20 mi. dist. bears S 5 W 22 hrs. dist. of

a W. Oak 10 " " " N 29 W 39 " "

T9 N. R1 E. 2nd Mer. Indiana

57.16 a Gum 16 in. dia. in the line
 80.00 Set the 1st Sec. post, Cor. to Sec. 9, 10, 15 & 16, from which
 a W. Oak 12 in. dia. bears S42 E 37 lks. dist. to
 a Beech 15 " " " N42 W 40 " "
 Uneven 2nd rate land, timber W. Oak, Beech & Sugar

East On Random betwⁿ Sec. 10 & 15, T9 N. R1 E.
 40.00 Set temp^y. of. Sec. post.
 42.00 a Brook 15 lks. wide C. S. S. E.
 77.60 Intersected the N & S. line 60 lks. N. of the Corner.
 Silly & poor, timber W. & C. Oak, Beech, mendingth.
 W. Oak & Ironwood.

West On true line between Sec. 10 & 15, T9 N. R1 E.
 38.80 Set of. Sec. post at av. J. dist. from which
 a W. Oak 11 in. dia. bears N50 W 16 lks. dist. of
 a Gum 15 " " " N75 E 25 " "
 77.60 to Sec. Corner. Feb. 25th. 1820

North Between Sec. 9 & 10, T9 N. R1 E. 2nd Mer.
 28.38 a Beech 8 in. dia.
 40.00 Set the of. Sec. post, from which
 a Sugar 8 in. dia. bears S25 W 36 lks. dist. of
 a W. Oak 18 " " " N6 W 28 " "
 69.00 a Maple 6 " "
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, T9 N. R1 E.
 a Sassafras 6 in. dia. bears S42 E 16 lks. dist. of
 a Do 7 " " " N42 W 16 " "
 Land timber &c. Same as on the last mile

East On Random betwⁿ Sec. 3 & 10, T9 N. R1 E.
 40.00 Set temp^y. of. Sec. post
 78.76 Intersected the N & S. line 9³/₄ lks. S. of Corner.

T9N - R1E, 2nd Mer. Indiana

Land, timber &c. Same as on the last mile

West On true line between Sect. 3 & 10, T9N, R1E.
 39.38 At the gr. Sec. post at av. dist. from which
 a P. Oak 8 m. dist. bears S 32 E. 50 lbs. dist. of
 a Do 11 " " " N 34 W 18 " "
 78.76 Sec. Corner.

North Between Sect. 3 & 4, T9N, R1E, 2nd Mer.
 14.00 a Brook 8 lbs. wide Cr. N 5 E.
 24.30 a Sugar 11 m. dist. in the line
 37.00 a Brook 8 lbs. wide Cr. S 80 E.
 40.00 At the gr. Sec. post, from which
 a Sugar 6 m. dist. bears N 21 W 16 lbs. dist. of
 a Do 6 " " " S 21 E 28 " "
 44.50 a Brook 15 lbs. wide Cr. S 5 E.
 51.70 a Sugar 12 m. dist. in the line
 71.75 a Brook 6 lbs. wide Cr. N 60 E.
 79.00 Intersected the St. boundary 9.20 lbs. N. of 1/4 Sec.
 post at the S. side of Sec. 34, T10N, R1E. At
 a post Cor. to Sect. 3 & 4, from which
 a Sugar 10 m. dist. bears N 57 E 40 lbs. dist. of
 a Beech 9 " " " N 88 W 36 " "
 Land, timber &c. Same as on the last mile

North Between Sect. 32 & 33, T9N, R1E, 2nd Mer.
 40.00 At the gr. Sec. post, from which
 a Beech 25 m. dist. bears N 15 E 23 lbs. dist. of
 a Do 10 " " " N 44 W 6 " "
 44.00 a Brook 20 lbs. wide Cr. S. E.
 80.00 At a post Cor. to Sect. 28, 29, 32 & 33, from which
 a Beech 10 m. dist. bears S 84 E 18 lbs. dist. of
 a Hickory 5 " " " S 31 W 5 " "

T9 N. R1 E. 2nd. Mer. Indiana

Allythin Soil, timber Oak, Beech & Hickory

East On Random betw. Sec. 28 & 33, T9 N. R1 E.

34.00 a Brook 30 yds. wide C. S.

40.00 Set temp. of Sec. post

80.25 Intersected the N & S. line at the corner.

West on true line between Sec. 28 & 33, T9 N. R1 E.

40.12 1/2 pt of Sec. post at ar. dist. from which
a Beech 20 in. dia. bears south one link

80.25 to Sec. Corner.

North Between Sec. 28 & 29, T9 N. R1 E. 3rd. Mer.

40.00 Set the of Sec. post, from which

a Beech 10 in. dia. bears N 59 W 13 lks. dist. of

a do 6 " " " N 30 E 5 " "

46.00 a Brook 20 yds. wide C. S. E.

80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which

a B. Oak 10 in. dia. bears N 78 W 10 lks. dist. of

a Hickory 7 " " " N 69 E 9 " "

Sand timber for same as on the last mile

East On Random betw. Sec. 21 & 28, T9 N. R1 E.

40.00 Set temp. of Sec. post

79.66 Intersected the N & S. line 75 yds. S. of the corner.

Sand timber for same as on the last mile

West On true line between Sec. 21 & 28, T9 N. R1 E.

39.83 Set of Sec. post at ar. dist. from which

a Hickory 8 in. dia. bears N 57 E 10 lks. dist. of

a Maple 15 " " " N 88 W 28 " "

79.66 to Sec. Corner.

T9 N - R1 E. 2nd Mer. Indiana

North Between Secs. 20 & 21, T9 N. R1 E. 2nd Mer.
 40.00 at Beech 8 m. dist. Marked for qtr. Sec. Corner.
 80.00 Set a post Cor. to Secs. 16, 17, 20 & 21, from which
 a Spruce 18 m. dist. bears N 67 E 12 m. dist. &
 a Beech 8 " " " S 12 E 14 " "
 Sand timber &c. Same as on the last mile

East On Randm. betwⁿ. Secs. 16 & 21, T9 N. R1 E. 2nd Mer.
 40.00 Set temp^y. qtr. Sec. post
 80.00 Intersected the N & S. line 15 m. S. of Sec. Corner.
 Sand timber &c. Same, as on the last mile

West On true line betwⁿ. Secs. 16 & 21, T9 N. R1 E.
 40.00 Set the qtr. Sec. post at av^g. dist. from which
 a Dogwood 5 m. dist. bears N 74 E 11 m. dist. &
 a Poplar 18 " " " S 14 E 23 " "
 80.00 to Sec. Corner.

North Between Secs. 16 & 17, T9 N. R1 E. 2nd Mer.
 40.00 Set the qtr. Sec. post, from which
 a Beech 30 m. dist. bears S 74 W 19 m. dist. &
 a W. Oak 8 " " " S 72 E 27 " "
 62.07 Set a post on the boundary line from which
 a Dogwood 3 m. dist. bears S 24 W 12 m. dist. &
 a Hickory 15 " " " S 33 E 22 " "
 Sand, timber &c. Same as on the last mile
 80.00 Set temp^y. Sec. post

East On Random between Secs. 9 & 16, T9 N. R1 E.
 45.00 Set temp^y. qtr. Sec. post
 77.32 Intersected the N & S. line 79 m. N. of Corner.
 Sand hilly & poor, W. Oak, hick^y. und^g. Dogwood & Ironwood

T9 N R1 E 2^d Mer. Indiana

West On true line between Sec. 9 & 10, T9 N R1 E.
 38.66 At the q. Sec. post at av. dist. from which
 a Beech 12 mi. dist. bears S79°W 25 lks. dist. of
 a Hickory 8 " " " S74 E 8 " "
 77.32 to Sec. Corner.

North Between Sec. 8 & 9, T9 N R1 E 2^d Mer.
 7.00 a Brook 6 lks. wide Cr. S5 W.
 15.50 a Sugar 12 mi. dist.
 40.00 At the q. Sec. post, from which
 a Beech 15 mi. dist. bears N35°W 24 lks. dist. of
 a Do 7 " " " S7°W 15 " "
 50.90 a Beech 17 " "
 80.00 At a post Cor. to Sec. 4, 5, 8 & 9, from which
 a Black 10 mi. dist. bears N20°E 6 lks. dist. of
 a Do 6 " " " S19°W 13 " "
 Unseen 2^d rate land Sugar, Beech, Ash &c.

East On Random between Sec. 4 & 9, T9 N R1 E
 10.00 a Brook 6 lks. wide Cr. N5 W.
 40.00 At temp. q. Sec. post
 77.33 Intersected the N & S. line 84 lks. N. of the Corner
 Land very hilly Soil 2^d rate, W & P. Oak & W. Walnut
 Sassafras, undergth Sassafras.

West On true line between Sec. 4 & 9, T9 N R1 E.
 38.66 At q. Sec. post at av. dist. from which
 a Sassafras 8 mi. dist. bears S21°W 4 lks. dist. of
 a W. Walnut 10 " " " N24 E 20 "
 77.33 to Sec. Cor.

North Between Sec. 4 & 5, T9 N R1 E 2^d Mer.
 17.45 a Hickory 8 mi. dist. in the line

T9 N. R1 E. 2^d. Mer. Indiana

- 40.00 At the qf. Sec. post, from which
 a Beech 12 mi. dist. bears S85^W29^U dist. of
 a Sugar 12 " " " S74^E75 " "
- 52.00 a W. Walnut 11 " "
- 79.00 Intersected the N. boundary 7.61 krs. N. of the qf.
 Sec. post in the S. side of Sec. 33, T9 N. R1 E. - At
 a post Cor. to Sec. 4 & 5, from which
 a Beech 14 mi. dist. bears N66^E20^U dist. of
 a Poplar 18 " " " S12^E12 " "
 Land timber &c. same as on the last mile
-

North Between Sec. 31 & 32, T9 N. R1 E. 2^d. Mer.

- 40.00 At the qf. Sec. post, from which
 a Beech 20 mi. dist. bears S79^W15^U dist. of
 a Do 10 " " " N68^E14 " "
- 54.57 a Brook 18 krs. wide Course E.
- 80.00 At a post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 6 mi. dist. bears N65^W6^U dist. of
 a Do 6 " " " N82^E14 " "
 Land hilly timber, Beech & Hickory
-

East On Random between Sec. 29 & 32, T9 N. R1 E.

- 30.00 a Brook 10 krs. wide C. & S.
- 40.00 At temp. qf. Sec. post.
- 81.14 Intersected the N & S. line 158 krs. N. of Sec. Cor.
 Land very hilly, timber the same
-

West On true line between Sec. 29 & 32, T9 N. R1 E.

- 40.57 At qf. Sec. post, at anj. dist. from which
 a Beech 30 mi. dist. bears N15^E27^U dist. of
 a Sugar 6 " " " N3^W39 " "
- 81.14 to Sec. Corner.
-

T9 N. R1 E. 2^d. Mer. Indiana

West Between Sec. 30 & 31, T9 N. R1 E

- 40.00 At the qf. Sec. post, from which
 a Beech 20 mi. dist. bears S58^W32^E 1/2^{hr.} dist. &
 a do 8 " " " S58^E 8 " "
- 79.7^v Intersected the N. boundary at the corner.
 Sand timber &c. same as on the last mile

North Betw. Sec. 29 & 30, T9 N. R1 E. 2^d. Mer.

- 40.00 At the qf. Sec. post, from which
 a Dogwood 4 mi. dist. bears S15^E 21^{hr.} dist. &
 a Hickory 18 " " " S83^E 18 " "
- 75.60 a Brook 12^{hr.} wide C.P.E.
- 80.00 At post Cor. to Sec. 19, 20, 29 & 30, from which
 a Sugar 8 mi. dist. bears N79^E 4^{hr.} dist. &
 a do 8 " " " N50^W34 " "
- Sand, timber &c. same as on the last mile

East On Random between Sec. 20 & 29, T9 N. R1 E.

- 35.00 a Brook 20^{hr.} wide C.P. N.E.
- 40.00 At temp. qf. Sec. post
- 44.50 a Brook 20^{hr.} wide C.P. S.E.
- 80.0^v Intersected the N & S. line 18^{hr.} N. of corner.
 Sand timber &c. same as on the last mile

West On true line between Sec. 20 & 29, T9 N. R1 E.

- 40.31 At qf. Sec. post at av. dist, from which
 a Sugar 8 mi. dist. bears S42^W16^{hr.} dist. &
 a hycamow 35 " " " N75^W12 " "
- 80.6^v to Sec. corner.

West Between Sec. 19 & 30, T9 N. R1 E. 2^d. Mer.

- 40.00 At the qf. Sec. post, from which
 a Beech 20 mi. dist. bears S37^E 9^{hr.} dist. &

T9 N. R1 E. 2^d. Mer. Indiana

a Beech 15 mi. dist. bears N 33 E 13 lks. dist.
 78.70 Intersected the 2^d. Meridian 100 lks. S. of the cor.
 a W. Oak 30 mi. dist. Cor. to Sec. 19 & 30.
 Land, timber &c. Same, as on the last mile

North Between Sec. 19 & 20, T9 N. R1 E. 2^d. Mer.

40.00 At the q. Sec. post, from which
 a Beech 24 mi. dist. bears S 14 N 20 lks. dist. of
 a clo 6 " " " N 58 W 26 " "

48.00 a Beech 30 mi. dist. in the line

80.00 At a post Cor. to Sec. 17, 18, 19 & 20, from which
 a Beech 20 mi. dist. bears N 10 E 16 lks. dist. of
 a clo 18 " " " S 20 E 17 " "
 Land, timber &c. Same as on the last mile

East On Rand^m. betwⁿ. Sec. 17 & 20, T9 N. R1 E.

40.00 At temp^y. q. Sec. post

80.22 Intersected the N & S. line 30 lks. N. of corner
 Land, timber &c. Same as on the last mile

West On true line between Sec. 17 & 20, T9 N. R1 E.

40.11 At the q. Sec. post, from which

a Hickory 9 mi. dist. bears N 50 W 24 lks. dist. of
 a Beech 6 " " " S 76 E 18 " "

80.22 to Sec. corner.

West Between Sec. 18 & 19, T9 N. R1 E. 2^d. Mer.

40.00 At the q. Sec. post, from which

a Beech 8 mi. dist. bears N 84 E 13 lks. dist. of
 a clo 20 " " " S 50 E 10 " "

78.66 Intersected the 2^d. Meridian 134 lks. S. of corner

At a post Cor. to Sec. 18 & 19, from which

a Beech 18 mi. dist. bears N 20 W 24 lks. dist. of

T9 N. R1 E. 2^d. Mer. Indiana

a Beech 4 mi. dia. bear N45 E 26 lbs. dist.
Land hilly Soil Rich

North Between Sec. 17 & 18, T9 N. R1 E. 2^d. Mer.

32.00 a Spring Cr. East

40.00 At the q. Sec. post from which

a Beech 12 in. dia. bear S1 E 24 lbs. dist. of

a Do 10 " " " S58 W 11 " "

80.00 At a post cor. to Sec. 7, 8, 17, & 18, from which

a Beech 20 in. dia. bear S11 W 23 lbs. dist. of

a Do 12 " " " N73 E 26 " "

Land timber & c. same as on the last mile

East Between Sec. 8 & 17, T9 N. R1 E. 2^d. Mer.

40.00 At the q. Sec. post, from which

a B. Oak 12 S41 W 30 lbs. dist. of

a Hickory 10 S37 E 10 " "

53.35 At a post on the boundary line, from which

a Sassafras 6 mi. dia. bear S65 E 6 lbs. dist. of

a Do 8 " " " S18 E 6 " "

Land hilly & brushy, timber Oak & Hickory

Thence E. from the boundary by Hedges

76.35 a Brook 6 lbs. wide Cr. & W.

79.65 Intersected the N & S. line 177 lbs. N. of temp. post.

At post at the post of intersection Cor. to 8, 9, 16 & 17, from which

a Beech 8 mi. dia. bear S87 E 37 lbs. dist. of

a Maple 12 " " " S75 E 12 " "

Land East of bound. same as that West of it.

West Between Sec. 7 & 18, T9 N. R1 E. 2^d. Mer.

40.00 At the q. Sec. post, from which

a Poplar 8 mi. dia. bear S75 E 12 lbs. dist. of

a Do 6 " " " N39 E 14 " "

267
T9 N. R1 E. 2^d. Mer. Indiana

78.81 Intersected the 2^d. Meridian 186 lks. S. of Cor.
Set a post Cor. to Sect. 7 & 18, from which
a P. Oak 10 in. dia. bears N45^W 6 lks. dist. &
a W. Walnut 10 " " " N6 E 16 " "
Sand timber &c. Same as on the last mile

North Between Sect. 7 & 8, T9 N. R1 E. 2^d. Mer.

31.00 a Brook 10 lks. wide E. S. W

40.00 Let the q. Sec. post, from which
a W. Ash 6 in. dia. bears S14 E 8 lks. dist. &
a do 4 " " " N69^W 11 " "

40.71 Set a post on the boundary line, from which
a P. Oak 10 in. dia. bears South 13 lks. dist. &
a do 6 " " " N54^W 13 " "
Sand timber &c. Same as above

53.30 a Sugar 11 in. dia. in the line

55.00 a Brook 6 lks. wide E. S. N80^W

80.00 Set temp. Section Corner.

East On Ransom between Sect. 5 & 8. T9 N. R1 E.

40.00 Set temp. q. Sec. post

77.00 Intersected the N & S. line 9 lks. S. of Sec. Corner
Land hilly & poor, timber W & P. Oak, hickory &c.

West On true line between Sect. 5 & 8, T9 N. R1 E.

38.50 Let q. Sec. post at ar. dist. from which
a Beech 12 in. dia. bears N4 E 46 lks. dist. &
a Sugar 6 " " " S7^W 22 " "

77.00 to Sec. Corner

East Between Sect. 6 & 7, T9 N. R1 E. from post. in the
2^d. Meridian

22.30 Let a post in the boundary line, from which

T⁹N. R¹E. 2^d. Mer. Indiana

- a Beech 18 mi. dist. bears S 79° W 22 lbs. dist. of
 a clo 20 " " " N 9° W 10 " "
 Land timber &c. same as on the last mile
 commencing at the boundary thence East
 17.70 Set temp. q^r. Sec. post
 54.00 Intersected the N. & S. line 150 lbs. N. of temp. post.
 Set a post at the point of intersection Cor. to Sec.
 5, 6, 7 & 8, from which
 a Beech 16 mi. dist. bears S 5° E 4 lbs. dist. of
 a clo 18 " " " N 55° W 15 " "
 Land hilly & poor. W. Oak, Hickory. & Beech ndg. th Snow or. D. soap?

- West between Sec. 6 & 7 on true line
 40.00 Set the q^r. Sec. post, from which
 a Gum 30 mi. dist. bears S 32° E 33 lbs. dist. of
 a Beech 24 " " " N 18° W 54 " "
 (76.30 to N. boundary)

- North between Sec. 5 & 6, T⁹N. R¹E. 2^d. Mer.
 21.00 a Beech 7 mi. dist.
 40.00 Set the q^r. Sec. post, from which
 a Beech 12 mi. dist. bears S 78° W 30 lbs. dist. of
 a clo 10 " " " S 73° W 40 " "
 49.40 a Beech 28 " "
 57.50 a Brook 8 lbs. wide Cor. N 40° W
 78.25 Intersected the N. boundary 5.34 lbs. N. of q^r. Sec.
 post on S. side of Sec. 32. T⁹N. R¹E. Set a post
 Cor. to Sec. 5 & 6, T⁹N. R¹E. from which
 a Beech 13 mi. dist. bears S 66° E 23 lbs. dist. of
 a W. Oak 7 " " " N 46° W 63 " "
 Land hilly & poor timber W. Oak & Hickory
 Surveyed by. Arthur Murrie, L.S. in 1815
 " by James Hager, L.S. " 1820

T. 9 N. R. 1 E. 2^d. Mer. Indiana

brought from page 244.

80.00 Set a post Cor. to Sec. 1, T. 9 N. R. 1 E. from which a Beech 12 in. dia. bears S 75^o W 26 lks. dist. & a W. Oak 14 " " " N 83 E 15 " " Sand hills & poor thickly timbered. W. B. & C. Oaks & Hickory under the W. Oak, Hickory & Sassafras.

North On E. boundary of Sec. 1, T. 9 N. R. 1 E.

18.00 a Sugar 11 in. dia.

40.00 Set the q. Sec. post, from which a W. Oak 10 in. dia. bears S 21^o W 60 lks. dist. & a Hickory 12 " " " N 31^o W 19 " "

54.16 a Beech 12 " "

67.00 Intersected the Town line 28.50 E. of post Cor. to Town 10 Range 1^o 2 E. Set post, from which a W. Oak 15 in. dia. bears S 30^o W 26 lks. dist. & a Hickory 7 " " " N 32 E 28 " " Surveyed by James Hedger, D.S. in 1819

I certify that the foregoing transcript of field notes of Township N. 9 N. Range N. 1 E. 2^d. Mer. Ind. has been compared with the original notes in this office and found to be correct.

Surveyor General's office
Cincinnati Dec. 19. 1840

Q. S. Cairnes
Sur. Genl.